

**The safety equipment including life-saving appliances, fire-fighting apparatus, lights, shapes and sound signals of vessel not required to be surveyed**

Non-mechanised Transportation Sampan (Length Overall x Extreme Breadth not exceeding 25m<sup>2</sup> , any materials)

Type	Descriptions	Number
Life-saving appliances	One life jacket for each person onboard	
	Lifebuoy	1
Fire-fighting apparatus	Fire bucket with lanyard	1
Lights, shapes and sound signals	All Round White Light (visibility – 2 nautical miles)	1
	Bell or horn	1

Standards of Class II vessels should refer to the Code of Practice for Safety Standards for Class II Vessels ([https://www.mardep.gov.hk/en/pub\\_services/ocean/pdf/lvs\\_cop2.pdf](https://www.mardep.gov.hk/en/pub_services/ocean/pdf/lvs_cop2.pdf)).

**The safety equipment including life-saving appliances, fire-fighting apparatus, lights, shapes and sound signals of vessel not required to be surveyed**

Non-mechanised Work Boat (Length Overall x Extreme Breadth not exceeding 25m<sup>2</sup>, other than metal)

Type	Descriptions	Number
Life-saving appliances	A quantity of suitable lifejackets or lifebuoys, or a combination of both, that is adequate for the total number of persons on board is required. (Each lifebuoy is taken to be for use by 2 persons on board the vessel.)	-
Fire-fighting apparatus	Fire bucket with lanyard	1
Lights, shapes and sound signals	All Round White Light (visibility – 2 nautical miles)	1
	Bell or horn	1

Standards of Class II vessels should refer to the Code of Practice for Safety Standards for Class II Vessels ([https://www.mardep.gov.hk/en/pub\\_services/ocean/pdf/lvs\\_cop2.pdf](https://www.mardep.gov.hk/en/pub_services/ocean/pdf/lvs_cop2.pdf)).

**The safety equipment including life-saving appliances, fire-fighting apparatus, lights, shapes and sound signals of vessel not required to be surveyed**

Non-mechanised Fishing Sampan (Length Overall x Extreme Breadth not exceeding 25m<sup>2</sup>, other than metal)

Type	Descriptions	Number
Life-saving appliances	A quantity of suitable lifejackets or lifebuoys, or a combination of both, that is adequate for the total number of persons on board is required. (Each lifebuoy is taken to be for use by 2 persons on board the vessel.)	-
Fire-fighting apparatus	Each lifebuoy is taken to be for use by 2 persons on board the vessel.	1
Lights, shapes and sound signals	All Round White Light (visibility – 2 nautical miles)	1
	Bell or horn	1

Standards of Class III vessels should refer to the Code of Practice for Safety Standards for Class III Vessels ([https://www.mardep.gov.hk/en/pub\\_services/ocean/pdf/lvs\\_cop3.pdf](https://www.mardep.gov.hk/en/pub_services/ocean/pdf/lvs_cop3.pdf)).

**The safety equipment including life-saving appliances, fire-fighting apparatus, lights, shapes and sound signals of vessel not required to be surveyed**

Outboard Open Sampan (less than 10m in length overall and are fitted with a petrol outboard engine of power not exceeding 12kW, other than metal)

Type	Descriptions	Number
Life-saving appliances	A quantity of suitable lifejackets or lifebuoys, or a combination of both, that is adequate for the total number of persons on board is required. (Each lifebuoy is taken to be for use by 2 persons on board the vessel.)	-
Fire-fighting apparatus	Portable dry powder fire extinguisher that has a capacity of not less than 1.25kg dry powder.	1
	Fire bucket with lanyard	1
Lights, shapes and sound signals	Masthead Light (visibility – 2 nautical miles)	1
	Sidelights (port & starboard) may be combined lantern (visibility – 1 nautical mile)	1 set
	Stern Light (visibility – 2 nautical miles)	1
	All Round White Light (visibility – 2 nautical miles)	1
	Means of making efficient sound signal	1

Standards of Class III vessels should refer to the Code of Practice for Safety Standards for Class III Vessels ([https://www.mardep.gov.hk/en/pub\\_services/ocean/pdf/lvs\\_cop3.pdf](https://www.mardep.gov.hk/en/pub_services/ocean/pdf/lvs_cop3.pdf)).

Note:

- (1) Power Driven Vessels less than 7m in length overall and maximum speed not exceeding 7 knots may, in lieu of the lights prescribed above, exhibit and all-round white light and shall, if practicable, also exhibit sidelights.