



MARINE DEPARTMENT
THE GOVERNMENT OF THE HONG KONG SPECIAL ADMINISTRATIVE REGION

DECLARATION OF SURVEY
SURVEY RECORD OF SAFETY EQUIPMENT

A/ PARTICULARS OF SHIP

Name of Vessel:		Certificate of Ownership No./ Approval In Principle No.:	
Class: II		Category:	
Type:		Deadweight Tonnage (For Tanker):	
Port of Registry	Gross Tonnage	Date of Keel Laying	Plying Limit
Length (m)	Extreme Breadth (m)	Length Overall (m)	Depth (m)
Propulsion Engine Type & Total Power Output (in kW)	Type of Boiler & Total Power Output (in kW)		Total Power Output of Auxiliaries (in kW)
The Life Saving Appliances are sufficient for _____ persons only.			

Owner Name:	
Owner Address:	

Port and Date	Additional information, particulars of intermediate, partial or subsequent inspections, alterations or renewals	Signature

B/ LIFE BOATS & CLASS C BOATS

No. of boats	Description	Dimension (m)			Cubic Capacity	Carrying Capacity	Internal Buoyancy		Weight Fully Laden (Tonne)
		Length	Breadth	Depth			Material	Cubic Capacity	

Boats to be numbered from forward, odd numbers for starboard, even numbers for port.

Painters	Are painters required to be rigged at sea? [Yes / No]
----------	---

C/ DAVITS AND WINCHES

Davits or Launch/Recovery Device	Description:	S.W.L.: / set
	Are they of sufficient strength to lower fully-laden boats? [Yes / No]	
Winches	Description:	S.W.L.:
	Dates of overhaul:	
Falls	Type of purchase:	
	Rope or Wire:	Size:
	Construction:	Breaking Strain:
	Dates of reversal or renewals:	

D/ INFLATABLE BOATS

Manufacturer	Length	Carrying Capacity	Weight with Equipment and Engine (Tonne)	Stowage
Type of Engine				

E/ LIFERAFTS

Liferafts	Manufacturer and Type	Carrying Capacity	Quantity	Date of Inspection	Stowage
Inflatable Liferafts					
Rigid Liferafts					

F/ OTHER LIFE SAVING APPLIANCES

Life Saving Appliances	Manufacturer and Type	Carrying Capacity	Quantity	Stowage			
Buoyant Apparatus							
Lifejackets			32 kg or more				
			Below 32 kg				
	Number of Donning Instructions Posted :						
Lifebuoys	Type	No. of Lifebuoy without Fitting	No. of Lifebuoy With Light	No. of Lifebuoy with Buoyant Lifeline	No. of Lifebuoy with Smoke Signal	No. of Lifebuoy with Light and Smoke Signal	No. of Q.R. Chutes
					Exp. date	Exp. date	
	Stowage						
Is a table of life-saving signals available on the ship's bridge? [Yes / No]							

G/ ROCKETS AND SIGNALS

Appliances	Manufacturer and Description	Manufacture Date	Expiry Date
Line Throwing Appliance			
Ship's Distress Signals	Parachute		
	Red Star		
Lifeboat's Distress Signals	Parachute		
	Hand Flares		
	Buoyant Smoke		
Means Provided for Emergency Signals			

H/ NAVIGATIONAL PUBLICATIONS

Nautical Charts	Latest Notices to Mariners
Sailing Directions	List of Light Signals
Tide Tables	Latest Merchant Shipping Notice
International Code of Signals	List of Radio Signals
Nautical Almanac	Nautical Tables
Operating and Maintenance Manuals for Navigational Aids	

I/ NAVIGATION LIGHTS

Lantern	Primary			Alternative		
	Manufacturer	Model	Lamp	Manufacturer	Model	Lamp/Burner
Mast Head						
Mast Head						
Mast Head						
Fore Mast						
Port						
Starboard						
Stern						
Anchor						
Anchor						
N.U.C						
N.U.C						
Yellow Towing Light						
D.G. Light						

Position of Sidelights			Spare Electric Bulbs Spare Slides		
Breadth of Chocks	Port	Starboard			
Primary					
Alternative					
				Port	
				Starboard	
				N.U.C	

J/ NAVIGATIONAL EQUIPMENT

Equipment	Manufacturer	Model	Serial No.
Gyro Compass			
Echo Sounder			
Signaling Lamp			
Magnetic Compass			
			Date of last adjustment :

K/ SOUND SIGNALS, SHAPES AND ADDITIONAL LANTERNS

Diameter and Position of Bell	Type of Whistle(s)	Gong	No. of Ball Shapes	No. of Diamond Shapes	Additional Lanterns / Shapes

L/ FIRE EXTINGUISHING

Type	Location	Quantity	Description
Portable Fire Extinguishers	Machinery Spaces		
	Crew Spaces		
	Other Spaces		
Portable Foam Applicators; Mobile Foam Appliances	Machinery Spaces		
	Other Spaces		
Non-Portable Fire Extinguishers			
Hoses Length with Couplings	Machinery Spaces		
	Other Spaces		
Plain Nozzles	Outside Machinery Spaces		Diameter of nozzle outlet =
Dual Purpose Nozzles	Machinery Spaces		Equivalent diameter of nozzle outlet =
	Other Spaces		Equivalent diameter of nozzle outlet =
Fire Buckets with Lanyard			
Sand Boxes and Scoops			
International Shore Connection			
Fire Pump (Excluding Emergency Fire Pump)			
Emergency Fire Pump			

Type	Location	Description
Fixed installations including deck foam, and inert gas systems for tankers and water spray systems for RO/RO cargo spaces	Machinery Spaces and Cargo Pump Rooms	
	Cargo Spaces	

M/ FIREMEN'S OUTFITS

Item	Quantity	Description
Breathing Apparatus		
Safety Lamps		
Axes		
Protective Clothing		
Boots		
Gloves		
Helmets		

N/ FIRE DETECTION AND ALARM SYSTEM

System	Location	Manufacturer	Type	Quantity	Description
Detectors	Machinery Spaces				
	Cargo Spaces				
	Accommodation and Service Spaces				
Control and Indicating Unit					
Manual Call Points	Machinery Spaces				
	Cargo Spaces				
	Accommodation				

If any essential part of the alarm, control or fault detection system cannot be operated, all machinery spaces of this vessel should not be in operation unless there is watchkeeper.

O/ EMERGENCY CONTROLS

Closing Devices	
Remote Stops Item / Location	
Other distant controls including oil fuel and lubricating oil tank outlet valves	
Location of controls for sea inlets, discharges and bilge injection	

P/ EMERGENCY ELECTRIC POWER

Source of Power including rating or capacity	
If generator, means of starting	
Services provided	

Q/ STABILITY

Particulars of stability data on board	
--	--

R/ MISCELLANEOUS

Fire Control Plans inside and outside Deckhouse	
Inert Gas System Manual	
Pilot Ladder – details of equipment	
Bulwark ladder – if provided	
Accommodation Ladder details (if point of access to sea level exceeds 9m)	
Pilot hoist (if provided) and maintenance log book	
Survival Craft Portable Radio	Type : Serial No.:

S/ EXEMPTIONS

Rule or Regulation	Appliance	Conditions

Remarks: _____

I declare that the equipment described in this document was inspected on _____. The inspection was conducted in accordance with the requirements of the Merchant Shipping (Local Vessels) Ordinance, Cap 548, its relevant regulations, codes and standards as required to my satisfaction. The vessel will in my judgment be sufficient to operate until ⁽¹⁾ _____.

Supplement survey reports to be attached, if applicable. [Yes / No]*

Signature of AS / AO Representative / RA Representative * : _____

Name of AS / AO Representative / RA Representative * (in block letter) : _____

Name of AO / RA* : _____

Place of Survey : _____ Date of Completion : _____

Note⁽¹⁾: In case of obvious deficiencies are found, the valid date (period from one month to two months) is to be proposed by AS / AO / RA to be agreed with Marine Department in advance.

Remark: AS = Authorized Surveyor; AO = Authorized Organization; RA = Recognized Authority

* Delete as appropriate

Personal Data Collection Statement

In accordance with the Personal Data (Privacy) Ordinance (Cap. 486), data subjects have a right to request access to and correction of their personal data provided in the application form. For access to or correction of personal data in the application form, please contact the Officer-in-charge, Local Vessels Safety Section of the Marine Department.